EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	166	operation with sweep with loop	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 10:36
S2	1	operation with sweep with loop with configuration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 10:36
S3	7	operation with sweep with loop with parameter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 10:37
S4	6	(operation or function or performance) with sweep adj loop with parameter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 10:42
S5	11	(operation or function or performance) with sweep adj loop	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 10:42
S7	2	("4259740").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 10:43
S8	12	(operation or function or performance) with sweep$3 adj loop	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 10:46
S9	66	sweep$3 adj loop	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 10:47
S10	6	signal with (analyz$3 or analys$3) with sweep$3 adj loop	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 10:47

S11	1206	signal with (analyz$3 or analys$3) with sweep$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 10:50
S12	6	signal with (analyz$3 or analys$3) with sweep$3 with GUI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 10:50
S13	6	signal with (analyz$3 or analys$3) with sweep$3 with (graphical adj user adj interface or GUI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 10:50
S14	6	signal with (analyz$3 or analys$3) with sweep$3 same (graphical adj user adj interface or GUI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 10:50
S15	6	signal with (analyz$3 or analys$3) with sweep$3 same (user with interface or graphical adj user adj interface or GUI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 10:51
S16	92	signal with (analyz$3 or analys$3) with sweep$3 and (user with interface or graphical adj user adj interface or GUI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 10:51
S17	52	signal with (analyz$3 or analys$3) with sweep$3 and (user with interface or graphical adj user adj interface or GUI) and user with input$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 10:51
S18	6	signal with (analyz$3 or analys$3) with sweep$3 with user with input$4 and (user with interface or graphical adj user adj interface or GUI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 10:52

S19	14	signal with (analyz$3 or analys$3) same sweep$3 with user with input$4 and (user with interface or graphical adj user adj interface or GUI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 10:52
S20	27	signal with (analyz$3 or analys$3) and (swept or sweep$3) with user with input$4 and (user with interface or graphical adj user adj interface or GUI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 11:11
S21	13	signal with (analyz$3 or analys$3) and (swept or sweep$3) with user with input$4 and (user with interface or graphical adj user adj interface or GUI) not S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 11:12
S22	393	702/107.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 11:27
S23	1312	702/189.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 11:27
S24	1	signal with (analyz$3 or analys$3) same (sweep$3 with user with input$4).clm. and (user with interface or graphical adj user adj interface or GUI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 11:39
S25	3	signal with (analyz$3 or analys$3) and (sweep$3 with user with input$4).clm. and (user with interface or graphical adj user adj interface or GUI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 11:40

S26	487	324/76.19.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 11:52
S27	284	324/613.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 13:00
S28	125	324/614.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 13:04
S29	120	324/76.22.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 14:17
S30	219	324/76.23.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 14:17
S31	121	324/76.27.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 14:17
S32	634	324/76.39.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 14:17
S33	362	324/76.52.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 14:17
S34	145	324/76.53.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 14:18
S35	445	324/76.77.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 14:18

S36	13	("4831580" | "5005119" | "5481712" | "5911070" | "5940296" | "6061602" | "6167562" | "6226783" | "6288474" | "6298474" | "6408429" | "6637022" | "6763515").PN.	US-PGPUB; USPAT	OR	ON	2008/04/11 15:19
S37	0	("4831580" | "5005119" | "5481712" | "5911070" | "5940296" | "6061602" | "6167562" | "6226783" | "6288474" | "6298474" | "6408429" | "6637022" | "6763515").PN. and sweep$3	US-PGPUB; USPAT	OR	ON	2008/04/11 15:19
S38	10	signal with (analyz$3 or analys$3) with sweep$3 with filter$3 and (user with interface or graphical adj user adj interface or GUI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 15:28
S39	15	signal with (analyz$3 or analys$3) and sweep$3 with filter$3 with function and (user with interface or graphical adj user adj interface or GUI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 15:36
S40	4	signal with (analyz$3 or analys$3) with sweep$3 with (loop or repeat$3 or iterat$4) with filter$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 10:02

S41	1	signal with spectrum with (analyz$3 or analys$3) and sweep$3 with (loop or repeat$3 or iterat$4) with operat$3 with perform$4 with parameter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 10:08
S42	0	signal with spectrum with (analyz$3 or analys$3) and sweep$3 with (loop or repeat$3 or iterat$4) with configuration with parameter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 10:10
S43	1	signal with spectrum with (analyz$3 or analys$3) and sweep$3 with (loop or repeat$3 or iterat$4) with operat$3 with parameter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 10:10
S44	1	spectrum with (analyz$3 or analys$3) and sweep$3 with (loop or repeat$3 or iterat$4) with operat$3 with parameter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 10:11
S45	1	spectrum with (analyz$3 or analys$3) with sweep$3 and (loop or repeat$3 or iterat$4) with perfor$4 with operat$3 with parameter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 10:12
S46	1	spectrum with (analyz$3 or analys$3) with sweep$3 and (loop or repeat$3 or iterat$4) with perfor$4 with operat$3 with parameter with (data or value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 10:13
S47	1	spectrum with (analyz$3 or analys$3) with sweep$3 and (loop or repeat$3 or iterat$4) with perform$4 with operat$3 with parameter with (data or value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 10:13

S48	1	spectrum with (analyz$3 or analys$3) with sweep$3 and (loop or repeat$3 or iterat$4) with operat$3 with parameter with (data or value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 10:14
S49	16	(analyz$3 or analys$3) with sweep$3 and (loop or repeat$3 or iterat$4) with operat$3 with parameter with (data or value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 10:14
S50	13	signal with (analyz$3 or analys$3) with sweep$3 and (loop or repeat$3 or iterat$4) with operat$3 with parameter with (data or value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 10:14
S51	7	signal with (analyz$3 or analys$3) with sweep$3 and (loop or repeat$3 or iterat$4) with perform$4 with operat$3 with parameter with (data or value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 10:14
S52	8	configuration with signal and (analyz$3 or analys$3) with sweep$3 and (loop or repeat$3 or iterat$4) with operat$3 with parameter with (data or value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 10:17
S53	9	"6275020".uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 10:24
S54	6	"6275020".uref. and sweep$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 10:24
S55	3	"6275020".uref. and sweep$3 and configur$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 10:27

S56	525	702/190.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 10:30
S57	400	702/76.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 10:30
S58	369	702/75.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 10:31
S59	326	702/77.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 10:31
S60	520	341/61.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 10:33
S61	386	356/484.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 10:33
S62	350	356/451.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 10:33
S63	356	331/178.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 10:38
S64	660	331/167.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 10:38
S65	243	331/166.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 10:38

S66	7	signal with (analyz$3 or analys$3) and (loop or repeat$3 or iterat $4) with (perfom$4 or operat$4) with sweep $3 with parameter with (data or value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 10:42
S67	65	signal with (analyz$3 or analys$3) and (analyz$3 or analys$3) with operat$4 with function and sweep with (loop or repeat$3 or iterat$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:15
S68	44	signal with (analyz$3 or analys$3) and (analyz$3 or analys$3) with function with operations and sweep with (loop or repeat$3 or iterat$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:16
S69	6	signal with (analyz$3 or analys$3) and (analyz$3 or analys$3) with function with operations and sweep with (loop or repeat$3 or iterat$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 12:16
S70	44	signal with (analyz$3 or analys$3) and (analyz$3 or analys$3) with function with operation and sweep with (loop or repeat$3 or iterat$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:16
S71	6	signal with (analyz$3 or analys$3) and (analyz$3 or analys$3) with function with operation and sweep with (loop or repeat$3 or iterat$4) with parameter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:17
S72	6	signal with (analyz$3 or analys$3) and (analyz$3 or analys$3) with function with operation and sweep with (loop or repeat$3 or iterat$4) same parameter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:17

S73	42	signal with (analyz$3 or analys$3) and (analyz$3 or analys$3) with function with operation and sweep with (loop or repeat$3 or iterat$4) and parameter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:17
S74	39	signal with (analyz$3 or analys$3) and (analyz$3 or analys$3) with function with operation and sweep with (loop or repeat$3 or iterat$4) and sweep with parameter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:18
S75	7	signal with (analyz$3 or analys$3) and (analyz$3 or analys$3) with function with operation with sweep and sweep with (loop or repeat$3 or iterat $4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:21
S76	2	("4839583").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 12:23
S77	7	signal with (analyz$3 or analys$3) and (analyz$3 or analys$3) with function with operation same sweep and sweep with (loop or repeat$3 or iterat $4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:33
S78	9	signal with (analyz$3 or analys$3) and sweep adj loop	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:35
S79	9	signal with (analyz$3 or analys$3) with sweep with loop with function	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:36

S80	22	signal with (analyz$3 or analys$3) with sweep with loop	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:37
S81	3	signal with spectrum with (analyz$3 or analys$3) with sweep with loop	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:37
S82	0	signal with spectrum with (analyz$3 or analys$3) and sweep adj loop	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:38
S83	4	signal with spectrum with (analyz$3 or analys$3) and sweep adj (repeat or iterat$4 or loop)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:38
S84	0	signal same spectrum with (analyz$3 or analys$3) and sweep adj loop$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:40
S85	1	signal same spectrum with (analyz$3 or analys$3) and sweep $3 adj loop$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:40
S86	0	spectrum with (analyz $3 or analys$3) and sweep adj loop$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:41
S87	69	signal same spectrum with (analyz$3 or analys$3) and (sweep with loop or sweep-loop)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:42
S88	60	signal with spectrum with (analyz$3 or analys$3) and (sweep with loop or sweep-loop)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:42

S89	0	signal with spectrum with (analyz$3 or analys$3) and (sweep with loop or sweep-loop) and (analyz$3 or analys$3) with function with operation same sweep	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:43
S90	19	signal with spectrum with (analyz$3 or analys$3) and (sweep with loop or sweep-loop) and display$3 and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:43
S91	0	signal with spectrum with (analyz$3 or analys$3) and (GUI or graphical with user with interface) with (sweep with loop or sweep-loop)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:54
S92	0	signal with spectrum with (analyz$3 or analys$3) and (GUI or graphical with user with interface) same (sweep with loop or sweep-loop)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:54
S93	0	signal with spectrum with (analyz$3 or analys$3) and (GUI or graphical with user with interface) and (sweep with loop or sweep-loop)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:54
S94	0	signal same spectrum with (analyz$3 or analys$3) and (GUI or graphical with user with interface) and (sweep with loop or sweep-loop)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:54
S95	8	spectrum with (analyz$3 or analys$3) and (GUI or graphical with user with interface) and (sweep with loop or sweep-loop)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:55

S96	2	signal with spectrum with (analyz$3 or analys$3) and (sweep with loop or sweep-loop) with filter$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:57
S97	4	signal same spectrum with (analyz$3 or analys$3) and (sweep with loop or sweep-loop) with filter$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:58
S98	6	spectrum with (analyz$3 or analys$3) and (sweep with loop or sweep-loop) with filter$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:58
S99	11	"4839583".uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 13:10
S100	3	"4839583".uref. and sweep with loop	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 13:11
S101	14	spectrum with (analyz$3 or analys$3) and (sweep with loop or sweep-loop) and network with analyzer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 13:21
S102	5	spectrum with (analyz$3 or analys$3) and (sweep with loop or sweep-loop) and network with analyzer and (microprocessor or processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 13:21
S103	43	signal with (analyz$3 or analys$3) and (GUI or graphical with user with interface) and sweep with (loop or repeat$3 or iterat$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 15:08
S104	10	spectrum with (analyz$3 or analys$3) and (GUI or graphical with user with interface) and sweep with (loop or repeat$3 or iterat$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 15:09

S105	0	signal same spectrum with (analyz$3 or analys$3) and (GUI or graphical with user with interface) and sweep with (loop or repeat$3 or iterat$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 15:10
S106	48	spectrum with (analyz$3 or analys$3) with sweep and (GUI or graphical with user with interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 15:18
S107	0	spectrum with (analyz$3 or analys$3) with sweep and (GUI or graphical with user with interface) and wizard	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 15:19
S108	0	spectrum with (analyz$3 or analys$3) same sweep and (GUI or graphical with user with interface) and wizard	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 15:19
S109	1	spectrum with (analyz$3 or analys$3) and sweep and (GUI or graphical with user with interface) and wizard	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 15:20
S110	25	spectrum with (analyz$3 or analys$3) and sweep and (GUI or graphical with user with interface) and (iterat$4 or repeat$6) with display$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 15:22
S111	1	spectrum with (analyz$3 or analys$3) and sweep and (GUI or graphical with user with interface) and wizard	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 16:11
S112	0	spectrum with (analyz$3 or analys$3) and sweep and (GUI or graphical with user with interface) and sequence with dialog	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 16:12

| S113 | 5 | spectrum with (analyz $3 or analys$3) and (GUI or graphical with user with interface) with wizard | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/17 16:13 |

4/18/08 12:02:07 PM
C:\Documents and Settings\CTsai\My Documents\EAST\Workspaces\10809109.wsp